

RAW MATERIAL SPECIFICATIONS

PACKAGE-1

RAW MATERIALS SECTION (₹4,95,000)

SR. NO.	ITEM	QUANTITY	SPECIFICATION
1	White Chip Powder	1000 kg	Material to be supplied in sealed packing from reputed manufacturer.
2	Premix	2700 kg	Standard approved quality; suitable for agarbatti production.
3	Stick	1200 kg	Uniform size, uniform tensile strength; free from breakage.
4	Gum	300 kg	Industrial-grade gum; must meet quality standards.
5	Colour	30 kg	Food-grade colour, non-toxic, moisture-free.
6	Match Box (Dozen)	20500 dozen	Properly packed; dry storage compliant.
7	DEP Oil	420 Ltr	Sealed container; sourced from reputed manufacturer.

PACKAGE – 2

CHEMICALS & ESSENTIAL OILS (₹4,00,000)

Item	Qty	Specification
Chemical (Mixed)	139 Ltr	Sealed bottles; MSDS Required
Masala (Raw Fragrance Base)	49 kg	Verified supplier; labelled
	4 LAKHS	

PACKAGE – 3
PACKAGING MATERIALS (₹4,05,000)

Item	Qty	Specification
Printed Laminated Packets (Dozen)	20,250 doz	Moisture-proof; approved GSM

PACKAGE – 4
SPARE PARTS (₹3,00,000)

Sl	Spare Part	Material	Specification	Origin	Remarks
1	Cylinder Piston HT2	Forged steel	HT2 Precision Grade	Vietnam	OEM
2	Full Piston Set	Alloy steel	Complete assembly	Vietnam	High wear resistance
3	Pressure Bolt	Steel 10.9	M12–M16	Vietnam	Torque per OEM
4	Oil Cup + O-Ring	Brass + NBR	Std. Size	Vietnam	Replace during overhaul
5	Rocket Gear	Alloy Steel	3-Jaw Gear	Vietnam	Motion transmission
6	Die	EN31	Model-specific	Vietnam	Oil coated
7	T-Mold	Hardened Steel	Old Model	Vietnam	Legacy model
8	Toggle Switch	Industrial	220V, 10A	Vietnam	OEM
9	Rubber Roller w/ Bearing	Rubber + SS	Dia 40–60mm	Vietnam	Replace in pairs
10	Eccentric Bolt	Hardened Steel	Ø9mm	Vietnam	Precision
11	Sensor	Proximity/IR	12–24V	Vietnam	Anti-static packing
12	Sensor Patti	SS	Model-fit	Vietnam	Mounting
13	Roller Stand	MS	Height adjustable	Vietnam	Alignment
14	Restart Switch	PC Housing	220V	Vietnam	OEM
15	Cleaning Rod	Stainless Steel	12–18 inch	Vietnam	Maintenance
16	Feeder Card	PCB FR4	Model-specific	Vietnam	Anti-static

SI	Spare Part	Material	Specification	Origin	Remarks
17	AC/DC Adapter	SMPS	12–24V	Vietnam	Power supply
18	Feeder Disk	Hardened Steel	80–100mm	Vietnam	Dosing
19	DC Motor 5	5–12V	3000–6000 rpm	Vietnam	Drive
20	Spring	Carbon steel	Standard tension	Vietnam	Replace periodically